

Well Casing



Well Casing Features

- Lightweight – a fiberglass well casing is lightweight, thus easier to ship and easier to install than well casing made of other material
- Corrosion Resistant – will not corrode or break down like other products utilized to hold liquids. This eliminates the possibility of leakage due to either internal or external rusting
- Cost effective alternative to other materials
- Durable and Long Lasting.
- Well casings are NSF/ANSI 61 Approved
- Filament Wound - increased strength without the added weight

Well Casing Uses

Water well casings can be used for a number of applications including:

- Air release chambers
- Lift stations
- Concrete forms
- Well liners
- Sump tanks
- Carwash pits
- Pipe tanks

Fiberglass, the casing of choice!



Drinking Water
NSF/ANSI 61

FRP
MANUFACTURING (2010) INC.

Toll Free: 1-866-722-6246

Fiberglass Filament Wound Water Well Casing

Water & Wastewater

SPECIFICATIONS	30" Diameter Standard	30" Diameter Heavy
Unit Length (feet/mm)	20'/6100 mm	20'/6100mm
Thickness (Inches/ mm)	.25"/6.35 mm	.3125"5/7.94m
Weight (Lbs/Length) (Kg/Length)	305 lbs/139 kgs	370 Lbs/167 kgs
Capacities (Imp. Gal/Ft) (Litre/m)	30.6 Gallons/456 ltrs	30.6 Gals/456 Ltrs

Well Cap/Bottom

SPECIFICATIONS	30"
Thickness (Inches/mm)	30"/7.6 mm
Weight (Lbs/Kg)	15lbs/6.8 kgs

BURIAL DEPTH (FEET/METRES)	60'/12.2 m	100'/30.5m
----------------------------	------------	------------

Download a QR reader app on your phone and use it to take a picture of it and it will direct you to the website.

